




Roof Pmax=200kg/m2
V.10





Date		rev.		Description	
House	S2020-44BW OI11	Sheet	1		
Drawing	Views-kuvat-sedd	Scale	1:100		
Material	4.4x135	Date	28.02.2019		
Drawer	K.K.	File	S2020-44BW OI11-Views.dwg		




House	S2020-44BW Olli	Sheet	2
Drawing	Floorbeams-lattapalkit-golvbjälkar	Scale	1:20
Material	43X90	Date	13.11.2013
Drawer		File	S2020-44BW Olli Floorbeams.dwg

Date rev. Description




House	S2020-44BW Olli	Sheet	3
Drawing	Grundplan-Pohjapiirros-Grundplan	Scale	1:20
Material	4,4x135	Date	13.11.2013
Drawer		File	S2020-44BW Olli.dwg


Date rev. Description




House	Date	rev.	Description	Sheet	Scale
S2020-44BW 0111				4	1:20
Draining			Wall-seinä-vägg A		
Material			4.4x135		Date 13.11.2013
Drawer					File S2020-44BW 0111.dwg




Date		rev.		Description	
House	S2020-44BW	Olli		Sheet	5
Drawing	Wall-seinä-vägg B			Scale	1:20
Material	4,4x135			Date	13.11.2013
Drawer				File	S2020-44BW Olli.dwg



Date		rev.		Description	
House	S2020-44BW	Olli		Sheet	6
Drawing	Wall-seinä-vägg 1			Scale	1:20
Material	4,4x135			Date	13.11.2013
Drawer				File	S2020-44BW Olli.dwg




























Wall-seinä-vägg 2



Date		rev.		Description	
House	S2020-44BW	Olli		Sheet	7
Drawing	Wall-seinä-vägg 2			Scale	1:20
Material	4.4x135			Date	13.11.2013
Drawer				File	S2020-44BW Olli.dwg

PAKK L<2.35m

Pos	S2020-44BW Olli	Pcs.	Profile (mm)	L (mm)
001	 130 2002 130 tongue cut off	2	44x135	2350
002	 100 2002 100	2	44x135	2290
003	 100 2002 100	28+1	44x135	2290
004	 100 2002 100	1	44x68	2290
005	 1051 100	1	44x68	1195
006	 1051 100	14	44x135	1195
007	 1023 100	2	44x77	1167
008	 543 100	8	44x135	688
009	 100 251	1	44x68	395
010	 100 251	14	44x135	395
011	 121100	26	44x135	265
W1-1	 212 007 002 2290	1	44x212	2290
W2-1	 212 007 002 2290	1	44x212	2290
012	ASSEMBLING BOARDS-ASENNUSLAUTA-SLAGBRÄDE 	2	44x135	300
013	FLOORBEAMS-LATTIAPALKIT-GOLVBJÄLKAR  IMM	2	43x90	2350
014	FLOORBEAMS-LATTIAPALKIT-GOLVBJÄLKAR  IMM	8	43x90	1984
015	PURLINS-KATTO ORRET-TÄKASAR  130 2002 130	2	43x140	2350
016	SAUNA BOARDS-SAUNA LATTIALAUTA-SAUNA GOLVBRÄDE 	17	120x28	1990
017	ROOFBOARDS-KATTOLAUTA-TAKBRÄDE  88mm or -tai- eller 114mm	21+1 27+1	114x19 88x19	1880 1880
018	ROOFBOARDS-KATTOLAUTA-TAKBRÄDE  88mm or -tai- eller 114mm	21 27	114x19 88x19	1000 1000
019	TERRACE BOARD-TERASSILAUTA-TERASSBRÄDE  IMM	18	120x28	265
020	GABLE BOARDS-KAAPELILAUTA-GAVELBRÄDA 	2	19x90	1900
021	GABLE BOARDS-KAAPELILAUTA-GAVELBRÄDA 	2	19x90	1020
022	EAVE BOARD-RÄYSTÄSLAUTA-TAKFOTSBRÄDE 	2	19x90	2350
023	EAVE SLAT-RÄYSTÄSLISTA-TAKFOTSLIST 	2	30x40	2350



Polhus










Kood S2020-44BW Olli

Materjal

File S2020-44BW Olli.dwg

Leht 8

PAKK L<2.35m

Pos	S2020-44BW Olli	Pcs.	Profile (mm)	L (mm)
024	ROOF FELT FILLET-KAAPELILAUDAN PEITELAUTA	1	19x70	2248
025	BRÄDE OVANPÅ GAVELBRÄDE	2	19x70	1900
026	ROOF FELT FILLET-KAAPELILAUDAN PEITELAUTA BRÄDE OVANPÅ GAVELBRÄDE	2	19x70	1020
027	WINDOW HANDLE-IKKUNA KAHVA-FÖNSTER HANDTAG	1+1+1		
028	DOOR KNOB/OVEN PAINIKE/DÖRR HANDTAG	1		
029	DOOR HINGES-OVEN SARANAT-DÖRR GÅNGJÄRN	3		
030	NAILS - NAULAT - SPIKAR  ROOFBOARDS-KATTOLAUTA-TAKBRÄDE	140	2.5	60
031	SCREWS - RUUVIT - SKRUVAR  FLOORBEAMS-LATTIAPALKIT-GOLVBJÄLKAR HALFBEAMS-PUOLEKSIPALKIT-FÖR ATT HALVA VÄGGPROFILER	50	4.5	90
032	SCREWS - RUUVIT - SKRUVAR  TERRACE BOARDS-TERASSILAUTA-TERASSBRÄDE SAUNA BOARDS-SAUNA LATTIALAUTA-SAUNA GOLVBRÄDE	300	4.5	70
033	SCREWS - RUUVIT - SKRUVAR  GABLE BOARDS-KAAPELILAUTA-VINDBRÄDE EAVE BOARD-RÄYSTÄSLAUTA-TAKFOTBRÄDE EAVE SLAT-RÄYSTÄSLISTA-TAKFOTLIST	40	4.5	50
034	SCREWS - RUUVIT - SKRUVAR  ROOF FELT FILLET-KAAPELILAUDAN PEITELAUTA TAKBRÄDE FÖR VINDBRÄDE	14	3.5	35
035	WINDOW BORDER BOARDS SET- IKKUNA KAITEENLAUDAT -FÖNSTER GRÄNSERBRÄDER 	1		
036	Door-ovi-dörr 690x1900 (right-oikea käsi-höger hand) 1pc-kpl-st  ORT_ECO	1	690	1900
037	Window-ikkuna-fönster 875x1700 2pcs-kpl-st  ORT_ECO	2	875	1700
038	Window-ikkuna-fönster 905x500 1pc-kpl-st  ORT_ECO	1	905	500




Polhus

Kood S2020-44BW Olli

Materjal

File S2020-44BW Olli.dwg

Leht 9



Detta är ett förslag för hur man kan placera plintarna (100-200 mm i diameter) för golvpjälklaget. Golvpjälkarna är med i byggsatsen, men inte plintarna. Använder man exempelvis 500-600mm långa murblock så kan man halvera antalet punkter. Lägg fuktskyddande papp mellan betong och trä

Tämnä on ehdotus sittä, miten (100-200 mm läpimitäiset) jalat voidaan sijoittaa alapohjaa varten. Lattiapalkit ovat rakennussarjassa, mutta jalat ei ole. Kun käytetään esimerkiksi 500-600 mm pitkiä harkkoja, voidaan pisteiden määrä puolttaa. Aseta betonin ja puun väliin kosteudelta suojaava pähvi

A proposal for placing plinths (100-200 mm in diameter) for floor beams. Floor beams are provided in the kit but plinths are not included. For example, by using 500-600 mm long masonry units, one can reduce the number of points 50%. Place cardboard between the concrete and wood to protect from moisture

Date rev. Description

House P1717-19 Tina Sheet 10

Drawing FOUNDATION PLAN - PLINTPLAN Scale 1:25

Material Date 26.11.2015

Drawer KK File 2020-44BW Olli.dwg